



FIRE ANT FACT SHEET



CONTROLS

Imported and native fire ants (protein feeding), Southern (California) fire ants, harvester ants, big-headed ants and Argentine ants.

ACTIVE INGREDIENTS

IGR (S)-methoprene 0.25% and Hydramethylnon 0.365%.

MODE OF ACTION

The adulticide, Hydramethylnon, in Extinguish® Plus bait starts killing worker ants immediately after ingestion. Noticeable reduction in the number of active workers is seen within a week.

LONG-LASTING

The insect growth regulator (IGR), (S)-methoprene, sterilizes the queen to prevent rebound and mound movement. Colony will begin to decline within a week after the bait has been brought back to the mound.

AREA OF APPLICATION

May be applied to the following areas (please refer to the label for additional sites):

- Nurseries
- Sports fields
- Sod farms
- Parks
- Golf courses
- Pastures
- School grounds
- Non-bearing fruit/nut trees
- Rangeland

USE RATE

Broadcast – 1.5 pounds of product per acre

SIZE

1.5 lb., 4.5 lb., and 25 lb.

METHODS OF APPLICATION

All types — motorized spreaders, aerial, backpack, bait station or hand.

QUARANTINE REQUIREMENTS

Extinguish® Plus active ingredients meet **USDA** fire ant quarantine requirements.

RESTRICTED-ENTRY INTERVAL (REI)

12 hours for worker protection standards only

APPLICATION TIMING

Apply as needed, when ants are active and foraging, and soil temperatures are above 60°F. Do not apply product within 24 hours of a rain event. Apply product when areas are dry from dew or irrigation.

ENVIRONMENTAL PROFILE:

Extinguish® Plus baits can be used with confidence around livestock.

TO LEARN MORE ABOUT EXTINGUISH® PLUS, VISIT CENTRALANTCONTROL.COM OR CALL 1.800.248.7763.

